

Printing date 23.10.2013

Version number 1

Revision and application 23.10.2013

# 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: GALVA GRIS MAT

· Article number: 99660

- · Reference Safety data sheet Ref. 99660 EN FDS n°622a
- Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- · **Product category** PC9a Coatings and paints, thinners, paint removers
- · Process category PROC11 Non industrial spraying
- · Application of the substance / the mixture Paint
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

**GUILBERT EXPRESS** 

33, Avenue du Maréchal de Lattre de Tassigny 94127 FONTENAY SOUS BOIS Cedex

www.express-fds.fr

- Further information obtainable from: info@express.fr
- · Emergency telephone number:

+33/825 800 251

**ENGLAND** 

National Poisons Information Service:

- In England and Wales: NHS Direct 0845 4647;
  - In Scotland: NHS 24 08454 24 24 24

IRELAND

National Poisons Information Centre, 01 8092566 or 01 8379964.

# 2 Hazards identification

- Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F+; Extremely flammable

R12: Extremely flammable.

R52/53-66-67: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Repeated exposure may cause skin dryness or cracking. Vapours may cause

drowsiness and dizziness.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2013 Version number 1 Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

## · Hazard pictograms



### · Signal word Danger

## · Hazard-determining components of labelling:

*Hydrocarbures, C6, isoalcanes, <5% n-hexane* 

#### · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

*P251* Pressurized container: Do not pierce or burn, even after use.

*P211* Do not spray on an open flame or other ignition source.

*P273* Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	10-25%
EINECS: 203-603-9	R10	
	♦ Flam. Liq. 3, H226	
	acetone	10-25%
EINECS: 200-662-2	🗙 Xi R36; 🔥 F R11	
	R66-67	
	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 1330-20-7	Xylol, Isomerengemisch (wenn Flammpunkt<21°C)	2.5-10%
	🗶 Xn R20/21; 🔀 Xi R38; 🔥 F R11	
	♦ Flam. Liq. 2, H225; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin	
	Irrit. 2, H315	
	(Con	atd on nogo 2)

(Contd. on page 3)

Printing date 23.10.2013 Version number 1 Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

		(Contd. of page 2)
CAS: 78-93-3	butanone	2.5-10%
EINECS: 201-159-0	Xi R36;	
	🚸 Flam. Liq. 2, H225; 💠 Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 95-63-6 EINECS: 202-436-9	1,2,4-trimethylbenzene  Xn R20; Xi R36/37/38; N R51/53 R10	≤ 2.5%
	♦ Flam. Liq. 3, H226; ♦ Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 64742-95-6 EINECS: 265-199-0	Solvent naphtha (petroleum), light arom.  Xn R65; Xi R37; N R51/53  R10  Carc. Cat. 2	≤ 2.5%
	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H335	

· Additional information:

EINECS: 931-254-9

Identification: HYDROCARBONS, C6, ISOALCANES, <5% N-HEXANE

Concentration: 5 < x % < 10

Classifcation:

GHS09, GHS07, GHS08, GHS02, Attention

H:225-304-336-411

EUH:066 Xn,N,F

R: 11-65-67-51/53

#### 4 First aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 23.10.2013 Version number 1 Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

(Contd. of page 3)

#### · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Recommended storage temperature: Storage temperature : Room temperature
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with	limit values ti	hat require	monitoring a	it the workpl	ace:
--------------------	-----------------	-------------	--------------	---------------	------

#### 108-65-6 2-methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm

Sk

#### 67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

### 1330-20-7 Xylol, Isomerengemisch (wenn Flammpunkt<21 °C)

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk, BMGV

### 78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm

Sk, BMGV

#### 95-63-6 1,2,4-trimethylbenzene

WEL Long-term value: 125 mg/m³, 25 ppm

(Contd. on page 5)

Version number 1 Revision and application 23.10.2013 Printing date 23.10.2013

Trade name: GALVA GRIS MAT

(Contd. of page 4)

### · Ingredients with biological limit values:

### 1330-20-7 Xylol, Isomerengemisch (wenn Flammpunkt<21°C)

BMGV 650 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: methyl hippuric acid

#### 78-93-3 butanone

BMGV 70 µmol/L

Medium: urine Sampling time: post shift Parameter: butan-2-one

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

#### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Tightly sealed goggles

· **Body protection:** Protective work clothing

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Compressed liquefied gas Form:

Colour: Dark grey

(Contd. on page 6)

Printing date 23.10.2013 Version number 1 Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

	(Contd. of pag
Odour:	Characteristic
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	
Flash point:	Not applicable, as aerosol.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	315 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits: Lower: Upper:	1.5 Vol % 13.0 Vol %
Vapour pressure at 20 °C:	233 hPa
Density at 20 °C:	0.96 g/cm³
Solubility in / Miscibility with water:	Soluble.
Solvent content: VOC (EC) Other information	40.00 % No further relevant information available.

# 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid temperatures above 50 °C
- · Incompatible materials:

Strong Acids

Alkali

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

GB

Printing date 23.10.2013 Version number 1 Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

(Contd. of page 6)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, IMDG, IATA	UN1950	
UN proper shipping name		
ADR	1950 AEROSOLS	
<i>IMDG</i>	AEROSOLS	
IATA	AEROSOLS, flammable	
Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label	2.1	
73.53.63.74.m4		
IMDG, IATA		
IMDG, IATA		
IMDG, IATA  Class	2.1	

(Contd. on page 8)

Printing date 23.10.2013 Version number 1 Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

		(Contd. of page
· Packing group		
· ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Warning: Gases.	
· Danger code (Kemler):	-	
· EMS Number:	F- $D$ , $S$ - $U$	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	1L	
Transport category	2	
· Tunnel restriction code	D	
· UN "Model Regulation":	UN1950, AEROSOLS, 2.1	

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

R38

R66 R67

R51/53 R65 Irritating to skin.

Harmful: may cause lung damage if swallowed.

Vapours may cause drowsiness and dizziness.

Repeated exposure may cause skin dryness or cracking.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

specific p	or o
· Relevant	t phrases
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
R10	Flammable.
R11	Highly flammable.
R20	Harmful by inhalation.
R20/21	Harmful by inhalation and in contact with skin.
R36	Irritating to eyes.
R36/37/3	88 Irritating to eyes, respiratory system and skin.
R37	Irritating to respiratory system.
D 20	

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 9)

Printing date 23.10.2013

Version number 1

Revision and application 23.10.2013

Trade name: GALVA GRIS MAT

(Contd. of page 8)

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)